

## FLWEMS Paramedics Neonatal & Pediatric Protocol for the Management of:


## **BURN TRAUMA**

### Indications

To outline the paramedic care and management of the neonatal/pediatric patient with burn trauma.

#### **Procedure**

- 1. Remove heat source as soon as possible.
- 2. Secure an airway as outlined in FLWEMS Paramedics Adult Protocol for the Management of Airway & Ventilation and administer supplemental **Oxygen** as needed. Consider early intubation if patient is high risk for inhalation injury.
- 3. Use full spinal immobilization for potential or suspected associated trauma per spinal injury protocol, especially in blast injuries.
- 4. Establish a minimum of one large bore IV of **Lactated Ringers**. Attempt two large bore IV's for all Class I patients.




- 5. Contact medical control and consider administration of:
  - a. **Morphine Sulfate** (MS04) 0.1-0.2mg/kg IM or IVP every 5-10 minutes as needed titrated to stable SBP for patient's age.
  - b. Consider Meperidine HCI (Demerol) 1-1.8 mg/kg IVP if patient has allergies to Morphine Sulfate, may repeat every 5 minutes as needed for pain control needed titrated to stable SBP for patient's age.

**NOTE**: As a "Standing Order" paramedics may administer up to 2mg Morphine Sulfate IVP for obvious orthopedic compromises and/or second or third degree burns prior to contacting Medical Control.

- 6. Monitor respiration's if not intubated.
- 7. Maintain pain control per pain management protocol.
- 6. Maintain body temperature with dry linens.
- 7. Monitor cardiovascular & pulmonary status.
- 8. Transport to appropriate Emergency Department.
- 9. Contact medical control for further orders as needed.


**INFANT RULE of NINES CHARTS** 

(Count 2º and 3º Burns Only)



# ADOLESCENT RULE of NINES CHARTS

(Count 2º and 3º Burns Only)



FLWEMS Paramedics Neonatal & Pediatric Protocol for the Management of:

## **BURN TRAUMA**

**CAIRA/Chemical Surety Considerations** 

None

**Triage Considerations**Refer to S.T.A.R.T. Triage Protocol

## **END OF SOP – NOTHING FOLLOWS**